

USB-C to HDMI 8K Cable

SKU: USBC-392-GL

Focus on connecting different devices




USB-C to HDMI 8K Cable





Application Scenario





Specification

| Connectors | Host Connector | USB-C Male |
|-----------------------------|-------------------------|-----------------------------------|
| CONTECTORS | | |
| | Device Connector | HDMI Male |
| | | |
| Compatibility | Host Support | USB-C, Thunderbolt 3 / 4 / 5 |
| | OS Support | OS Independent |
| Performance | HDMI Resolution Support | Up to 8K@60Hz or 4K@240Hz |
| | HDMI Audio Support | 32 Channel LPCM, Compressed Audio |
| Physical Characteristics | Available Length | 3/6/10 feet (0.9/1.8/3 meters) |
| | Material | Plastic Housing |
| | Color | Black |
| Certification | FCC/CE/RoHS/HDMI | |
| Country of Origin | Thailand | |



Max Display Resolution – Windows / Chromebooks



| Windows / Chromebook Host | Maximum Resolution |
|--|--|
| USB-C Alternate Mode HBR3 with DSC Enabled | 7680 x 4320 @60Hz, 3840 x 2160 @240Hz |
| USB-C Alternate Mode HBR2/HBR3 | 3840 x 2160 @60Hz |



Max Display Resolution - Mac



| MacBook | Maximum Resolution |
|---|--------------------|
| All MacBooks with standard factory firmware | 3840 x 2160 @60Hz |
| M1/M2 & M1/M2 Pro & M1/M2 Max with special firmware | 3840 x 2160 @120Hz |
| M3/M4 & M3/M4 Pro & M3/M4 Max with special firmware | 3840 x 2160 @240Hz |



Contact: sales@genixlinks.com

Thanks!